



COPADATA
do it your way

zenon manual

History of changes

v.7.10





© 2013 Ing. Punzenberger COPA-DATA GmbH

All rights reserved.

Distribution and/or reproduction of this document or parts thereof in any form are permitted solely with the written permission of the company COPA-DATA. The technical data contained herein has been provided solely for informational purposes and is not legally binding. Subject to change, technical or otherwise.

Contents

1. Welcome to COPA-DATA help	4
2. History of changes	4
2.1 Engineering in the Editor	5
2.1.1 Change history detail view of toolbar and context menu	6
2.2 Logged data.....	7
2.2.1 Filter data	9
2.3 Logged actions	10
2.4 Export data.....	16

1. Welcome to COPA-DATA help

GENERAL HELP

If you cannot find any information you require in this help chapter or can think of anything that you would like added, please send an email to documentation@copadata.com (<mailto:documentation@copadata.com>).

PROJECT SUPPORT

You can receive support for any real project you may have from our Support Team, who you can contact via email at support@copadata.com (<mailto:support@copadata.com>).

LICENSES AND MODULES

If you find that you need other modules or licenses, our staff will be happy to help you. Email sales@copadata.com (<mailto:sales@copadata.com>).

2. History of changes

The history of changes serves for complete documentation of the phase of engineering. All changes to a project such as change, delete, create, etc. can be protocolled. Per default the history of changes turned off and must be activated (on page 5) in the Editor.

 **License information**

Part of the standard license of the Editor and Runtime.

PROJECT MANAGER CONTEXT MENU

Menu item	Action
Export XML all ...	Exports all entries as an XML file.
Export CSV all...	Exports all entries as an CSV file.
Activate extended filter	Opens the dialog for Engineering enhanced filter settings (on page 9).
Deactivate extended filter	Deletes the settings for the extended filters and deactivates the property for the engineering of the extended filter settings.
Editor profile	Opens the drop-down list which includes pre-defined Editor profiles.
Help	Opens online help.

2.1 Engineering in the Editor

The history of changes must be activated in the Editor. To do this:

1. navigate to `Group History of changes` in project properties
2. Activate the `History of changes active` property
3. select via property `Detailling level` which details should be recorded:
 - `Object`: Only the object names of the changed objects are logged.
 - `Properties`: Additionally to the object names the changed properties and the new values are displayed in the history of changes.
 - `Value changes`: Not only the new value of a property is displayed but also the old one. This makes complete traceability of the changes of values possible. This setting causes the most detail level of logging.

4. For multi-user projects, the ability to enter a comment can be automatically unlocked for write access via the `Automatically allow changes` property; this setting is deactivated by default, because it can impair performance significantly

PROTECTING THE HISTORY OF CHANGES

The activating/deactivating of the history of changes can be protected from unauthorized user access. To do this:

1. navigate to `Group User administration` in project properties
2. click in the field of property `Function authorizations`
3. the dialog for changing the function authorization is opened
4. select for `Turn on/off history of changes` the desired authorization level

2.1.1 Change history detail view of toolbar and context menu



CONTEXT MENU

Menu item	Action
Filter Module	Sets the filter to the module of the selected entry.
Filter object	Sets the filter to the object of the selected entry.
Activate extended filters	Activates the property for engineering extended filter settings.
Deactivate extended filters	Deletes the settings for the extended filters and deactivates the property for the engineering of the extended filter settings.
Remove all filters	Removes all filter settings.
Copy	Copies selected entry to the clipboard.
Delete	Deletes selected entries.
Export selected XML	Exports selected entries as an XML file.
Export selected CSV	Exports selected entries as a CSV file.
Edit selected cell	Opens the selected cell for editing. You can see which cell is selected in a line with the help of the binocular symbol in the header.
Properties	Opens the window Properties for the selected entry.
Help	Opens online help.

2.2 Logged data

If the history of changes is activated, the changes are displayed in the detail view of the project manager according to the selected settings. The first entry documents the activation of the History of changes. At deactivation the last entry is the deactivating of the history of changes.

Entry	Description
Status	<p>State of the object for multi-user projects.</p> <p>Green: Object has the state <code>Enable</code> changes</p> <p>Empty: Object has the state <code>Apply</code> changes</p>
time stamp	Date and time.
Action	<p>Type of interference. Possible values:</p> <ul style="list-style-type: none"> ▶ New ▶ Changed ▶ Deleted ▶ New - VBA ▶ Changed - VBA ▶ Deleted - VBA
Module	The module (e.g. PFS, archive, report) where the changes have been made.
Object	Object which was changed.
Element	Element which was changed. Recorded is the name as defined in property <code>Element name</code> .
Property	The property of the objects/elements which were changed.
Old value	<p>The value of the property before changes were done.</p> <p>Only available if you selected <code>Value</code> change in project property <code>Detailling level</code>.</p>
New value	<p>Value of the property after the change.</p> <p>Only available if in project settings under <code>Detailling level</code> <code>Properties</code> or <code>Value</code> changes was selected.</p>
User	The user who carried out the changes. If the user administration is not activated or no user is logged in, the Windows user is read out and entered.
Computer	The name of the computer where the changes have been made.
Comment	Freely usable text.

You can sort the columns as you wish by dragging&dropping. Each column can be filtered (on page 9)for certain content.

Note: If you can certain properties which open a dialog for additional settings, not all changes are recorded.

For example: In module Batch Control you change a parameter which is linked to a phase via a formula. This change is not recorded. If you change the formula, the change is recorded.


2.2.1 Filter data

There are two possibilities to filter displayed list of the history of changes:

1. Enhanced filter of the history of changes
2. Filter of the list view

ENHANCED FILTER OF THE HISTORY OF CHANGES

You can reach the enhanced filter via the context menu in the project manager or in the detail view.



The screenshot shows a dialog box titled "Enhanced filter for history of changes". It is divided into two sections: "General settings" and "Time filter".

- General settings:** Contains a text input field labeled "Maximum number of entries" with the value "1000" entered.
- Time filter:** Contains a checkbox labeled "Time period" which is currently unchecked. Below it are two rows of date and time pickers:
 - From:** A date picker set to "01.01.1970" and a time picker set to "00:00:00".
 - Until:** A date picker set to "26.01.2012" and a time picker set to "12:12:20".

At the bottom of the dialog box are three buttons: "OK", "Cancel", and "Help".

Parameters	Description
Maximum number of entries	Defines the maximum number of data sets which are displayed in the list. 0: Unlimited number Default: 1000
Time period	Enables filtering on a specified time period or to or from a certain point in time. Active: Only entries from the given time period are displayed. Default: Deactivated.
From	Date and time after which changes should be displayed.
To	Date and time up to which changes should be displayed.

2.3 Logged actions

In the history of changes the following is protocoled:

Object	Changes
zenon Logic	<ul style="list-style-type: none"> ▶ zenon Logic New project ▶ zenon Logic Delete project ▶ zenon Logic Change project
Archives	<ul style="list-style-type: none"> ▶ New archive ▶ Delete archive ▶ Change archive ▶ Add variable ▶ Delete variable
Users	<ul style="list-style-type: none"> ▶ New user ▶ Delete user ▶ Change user
Screens	<ul style="list-style-type: none"> ▶ New screen ▶ Delete screen ▶ Change screen
Files	<ul style="list-style-type: none"> ▶ Add file ▶ Delete file ▶ Change file
Data types	<ul style="list-style-type: none"> ▶ Datatype new ▶ Delete data type ▶ Change data type
Dynamic elements/ Vector elements	<ul style="list-style-type: none"> ▶ Element new ▶ Delete element ▶ Change element
Functions	<ul style="list-style-type: none"> ▶ Function new ▶ Delete function

	▶ Change function
--	-------------------

Menus	<ul style="list-style-type: none"> ▶ Main menu new ▶ Delete main menu ▶ Change main menu ▶ Context menu new ▶ Delete context menu ▶ Change context menu
Message Control	<ul style="list-style-type: none"> ▶ At saving changes
Process Control Engine (PCE)	<ul style="list-style-type: none"> ▶ At saving changes
Project	<ul style="list-style-type: none"> ▶ Move project within project tree
Project backup	<ul style="list-style-type: none"> ▶ Creating a project backup with version number.
Reaction matrices	<ul style="list-style-type: none"> ▶ Rema new ▶ Delete Rema ▶ Change Rema
Report	<ul style="list-style-type: none"> ▶ New report ▶ Delete report ▶ Change report- when saved
Recipe	<ul style="list-style-type: none"> ▶ Recipe new ▶ Recipe delete ▶ Change Recipe ▶ Add variable ▶ Delete variable ▶ Change the value
Recipegroups	<ul style="list-style-type: none"> ▶ Recipe group new ▶ Recipe group delete ▶ Change Recipe group ▶ Recipe new

	<ul style="list-style-type: none">▶ Change Recipe▶ Delete recipe▶ Add variable▶ Delete variable▶ Change the value▶ Change source▶ Change source type
--	--

Frames	<ul style="list-style-type: none"> ▶ Frame new ▶ Delete frame ▶ Change frame
Scheduler	<ul style="list-style-type: none"> ▶ At saving changes
Fonts	<ul style="list-style-type: none"> ▶ Font new ▶ Delete font ▶ Change font
Scripts	<ul style="list-style-type: none"> ▶ Script new ▶ Delete script ▶ Change script
Language table	<ul style="list-style-type: none"> ▶ New entry ▶ Delete entry ▶ Change entry
Drivers	<ul style="list-style-type: none"> ▶ Driver new ▶ Delete Driver ▶ Change Driver
VBA	<ul style="list-style-type: none"> ▶ When saved the changes in the VBA-Editor an entry is generated.
Variables	<ul style="list-style-type: none"> ▶ Variable new ▶ Delete variable ▶ Change data point
Interlockings	<ul style="list-style-type: none"> ▶ New interlocking ▶ Change interlocking ▶ Delete interlocking ▶ Variable new ▶ Delete variable
Time control	<ul style="list-style-type: none"> ▶ Time function new

	<ul style="list-style-type: none">▶ Delete time function▶ Change time function
--	---

2.4 Export data

The data of the history of changes can be exported as XML or CSV file.

To export data:

1. Highlight the desired entries
(multiple selection is possible using the key combinations `Ctrl+left mouse button`, `Shift+left mouse button` and `Ctrl+a`)
2. select the desired export form (XML or CSV) in the context menu
3. the dialog for selecting where to save the file is opened
4. enter a name and confirm by clicking `save`

Note: The headings of the entries in the exported data are in English.